

Simplify.

1.  $(-6m^3)(2m^4n^5)$

$$-12m^7n^5$$

4.  $3\sqrt{7}(4\sqrt{2} - 5\sqrt{3})$

$$12\sqrt{14} - 15\sqrt{21}$$

2.  $(-3x^4)^3$

$$\begin{matrix} (-3)^3 \times x^{12} \\ -27x^{12} \end{matrix}$$

3.  $\left(\frac{3m^2}{n^4}\right)^3 \frac{3^3 m^6}{n^{12}} = \frac{27m^6}{n^{12}}$

5.  $\sqrt[6]{\sqrt[4]{2x}}$

$$\sqrt[24]{2x} \text{ or } (2x)^{\frac{1}{24}}$$

6.  $\sqrt{2x} \cdot \sqrt[3]{2x}$

$$(2x)^{\frac{1}{2}} \cdot (2x)^{\frac{1}{3}} = (2x)^{\frac{5}{6}}$$

7.  $\left(\frac{m^{10}}{n^5}\right)^{\frac{3}{5}} = \frac{m^6}{n^3}$

8.  $(4u^2v^{10})^2(u^2v^3)^{-2}$

$$\begin{matrix} (16u^4v^{20})(u^{-4}v^{-6}) \\ 16v^{14} \end{matrix}$$

9.  $\sqrt[6]{\frac{x^{36}y^{42}}{z^{-12}}} =$

$$\sqrt[6]{x^{36}y^{42}z^{12}} =$$

$$= x^6y^7z^2$$

Find the sum or difference.

10.  $(3m - 3m^3) + (14 + 8m^3 - 5m^2 + m)$

$$5m^3 - 5m^2 + 4m - 14$$

Find the product.

11.  $(2n - 3)(4n^2 + 2n - 5)$

$$\begin{array}{r} 8n^3 + 4n^2 - 10n \\ -12n^2 - 6n + 15 \\ \hline 8n^3 - 8n^2 - 16n + 15 \end{array}$$

12.  $(4x + 1)^2$

$$\begin{matrix} (4x+1)(4x+1) \\ 16x^2 + 8x + 1 \end{matrix}$$

Solve the equation for x.

13.  $2x^2 - 10 = -30$

$$2x^2 = -20$$

$$x^2 = -10$$

$$x = \pm \sqrt{-10} = \pm i\sqrt{10}$$

Simplify.

14.  $\sqrt{-125} = i\sqrt{125}$

$$5i\sqrt{5}$$

Simplify:

15.  $\left(\frac{2i}{3+2i}\right)(3-2i)$

$$\frac{6i - 4i^2}{9 - 6i + 6i - 4i^2}$$

16.  $(3 - 2i)(4 + 2i)$

$$12 + 6i - 8i - 4i^2$$

$$12 - 2i + 4$$

$$16 - 2i$$

$$\frac{6i + 4}{13} = \frac{4 + 6i}{13}$$

Given:  $z = 2 - i$      $w = 3 + 2i$

Find:

17.  $|w| = \sqrt{(3)^2 + (2)^2}$

$$|w| = \sqrt{13}$$

18.  $2z + \bar{w}$

$$\begin{aligned} & 2(2-i) + (3-2i) \\ & 4-2i+3-2i \\ & 7-4i \end{aligned}$$

19.  $|3z - 2w|$


$$|3(2-i) - 2(3+2i)|$$

$$|6-3i-6-4i|$$


$$|-7i| = 7$$

Graph the complex number.

20.  $2 - 6i$     imaginary



21. Which 2 points are conjugates?



$A \not\equiv D$


Identify the domain and range of the given relation. Then represent the relation using a graph and a mapping diagram.

22.  $(5, -2), (-3, -2), (3, 3), (-1, -1)$

D:  $\{-3, -1, 3, 5\}$

R:  $\{-2, -1, 3\}$

Graph




Mapping



Graph the following equations and state the domain and range.

23.  $x^2 + (y - 3)^2 = 7$




C:  $(0, 3)$

R:  $\sqrt{7}$

D:  $[-\sqrt{7}, \sqrt{7}]$

R:  $[3 + \sqrt{7}, 3 - \sqrt{7}]$

24.  $y = -2(x + 3)^2 + 5$     V:  $(-3, 5)$



D:  $\mathbb{R}$

R:  $(-\infty, 5]$


$1(-2) = -2$

$3(-2) = -6$


$5(-2) = -10$

$7(-2) = -14$

25.  $y = \frac{1}{2} \sqrt[3]{x - 2} + 1$  (2, 1)




26.  $y = -\sqrt{x + 4} + 5$  (-4, 5)




27.  $y = 3x^2 - 6x - 1$  vertex (1, -4)

use axis symmetry  $x = \frac{-b}{2a}$




28.  $y = -2x^2 - 16x - 36$  v. (-4, -4)

use axis of symmetry  $x = \frac{-b}{2a}$




29.  $(x - 1)^2 + (y + 4)^2 = 12$  C: (1, -4)

R:  $\sqrt{12}$




30.  $6x - 4y = 24$


$$\begin{aligned}-4y &= -6x + 24 \\ y &= \frac{3}{2}x - 6\end{aligned}$$



31.  $y = 5$




32.  $y = -\frac{2}{3}|x - 4| + 8$  V:  $(4, 8)$



33. Graph and write the equation of the line through the points  $(0, 0)$  and  $(-2, -8)$ .

What is the domain, range and x and y intercepts of the line?



$$m = \frac{0+8}{0+2} = \frac{8}{2} = 4$$

$$y = 4x$$

D:  $\mathbb{R}$

R:  $\mathbb{R}$

x-int:  $(0, 0)$   
y-int:  $(0, 0)$

parallel line

$$y - 4 = 4(x + 5)$$

$$y = 4x + 20 + 4$$

$$y = 4x + 24$$

perpendicular line

$$y - 4 = -1/4(x + 5)$$

$$y = -1/4x - 5/4 + 4$$

$$y = -1/4x + 11/4$$

Write the equation of the lines that are parallel and perpendicular to the above equation that goes through the point  $(-5, 4)$ .

Graph the 2 lines.

What is the domain, range and x and y intercepts of the 2 lines?

Parallel

D:  $\mathbb{R}$  x-int:  $(-6, 0)$   
R:  $\mathbb{R}$  y-int:  $(0, 24)$

Perpendicular

D:  $\mathbb{R}$  x-int:  $(11, 0)$   
R:  $\mathbb{R}$  y-int:  $(0, 11/4)$